

Alaa Samih Ayyoub, MD
Physician

H&P
final

Date of Service: 1/10/25 4:32 PM

Electronically
Signed

File Time: 1/10/25 4:32 PM

Moderate Sedation Pre-Procedure Assessment/H&P

Temp wire became displaced. Returned to cath lab for repositioning with fluroscopic guidance.

Vitals:

Vitals (Most recent in last 24 hrs)
T: 36.7 °C (01/10/25 1400) BP: (!) 144/35 (01/10/25 1500) HR: (!) 39 (01/10/25 1600)
RR: 20 (01/10/25 0900) SpO2: 98 % (01/10/25 1600) Room air
T range: Temp Min: 36 °C Max: 36.7 °C
Admit weight: 45.5 kg (100 lb 6.4 oz) (01/09/25 1033)
Last weight: 45.8 kg (100 lb 15.5 oz) (01/10/25 0600)

Recent Labs

Lab Results

Component	Value	Date
WBC	14.86 (H)	01/10/2025
HEMOGLOBIN	9.9 (L)	01/10/2025
HEMATOCRIT	32 (L)	01/10/2025
PLATELET	181	01/10/2025
SODIUM	140	01/10/2025
POTASSIUM	4.1	01/10/2025
BUN	19	01/10/2025
CREATININE	0.72	01/10/2025
GLUCOSE	130 (H)	01/10/2025
INR	1.1	01/10/2025
PROTIME	14.4	01/10/2025
PTT	26	01/10/2025
AST	48 (H)	01/09/2025
ALT	28	01/09/2025
ALK	69	01/09/2025
ALBUMIN	3.9	01/09/2025

Procedure

No admission procedures for hospital encounter.

Sedation RN Data

Patient Language	English
------------------	---------

HISTORY

Problem List

Diagnosis

- Sensorineural hearing loss, unspecified
- Hypercholesterolemia
- Generalized osteoarthritis, unspecified site
- Essential hypertension, benign
- Unspecified glaucoma(365.9)
- Routine general medical examination at a health care facility
- Type 2 diabetes mellitus without complication (HCC)
- Adult failure to thrive syndrome
- Osteoporosis, unspecified
- Osteoarthritis of lumbar spine
- Urine incontinence
- Pseudophakia, both eyes
- History of recurrent deep vein thrombosis (DVT)
- Imbalance

- Primary osteoarthritis of both hips
- Vitamin D deficiency
- Atherosclerosis of native artery of both lower extremities with bilateral ulceration of calves (HCC)
- Primary open angle glaucoma (POAG) of both eyes
- Closed fracture of distal end of femur, unspecified fracture morphology, sequela
- Community acquired bacterial pneumonia
- Reduced vision
- Housing instability
- Advanced care planning/counseling discussion
- Acute lower limb ischemia
- Bradycardia

Past Surgical History:

Procedure	Laterality	Date
<ul style="list-style-type: none"> • PR TOTAL ABDOMINAL HYSTERECT W/WO RMVL TUBE OVARY 		

Social History

Tobacco Use

- Smoking status: Never
- Smokeless tobacco: Never

Substance and Sexual Activity

- Alcohol use: No
- Drug use: No
- Sexual activity: Not Currently

Social History Narrative

Soc Hx.

1/30/2007 Nancy at Helpline House, 282 Knechtel Ave NE, Bainbridge Island , WA 98110 Voice 842-7624, Fax 842.9867, called last week. See RN telephone. Note. The plan is to call Nancy once I have assessed Mrs. Hoffman's needs when I see her at an upcoming visit.

6/15/2010 Grew up on Bainbridge. Both parents from Paris. Spoke French at home and English in Public. She recalls her first clot was in her legs when she was 30. She also developed clot in her arms later. She states her grandmother had the same problem.

2019: Lives on Bainbridge Island. Lives with Son.

William E Neighbor, MD

Spring 2018

*Homeless living with son in tent on Bainbridge
 Pastor Dave O'Connell 314.853.2695
 APS Levonne Gibson 360.473.2167
 NW Justice Project Samantha Adams 206.707.0838*

Family History

Problem	Relation	Age of Onset
<ul style="list-style-type: none"> • No Known Problems 	Father Mother	

Home Medications

Prescriptions

Cholecalciferol 1000 units Oral Tab

Sig: Take 2 tablets (2,000 units) by mouth daily.

Cyanocobalamin (VITAMIN B-12 OR)

Sig: Take 1 tablet by mouth daily.

MULTIPLE VITAMIN OR

Sig: Take 1 tablet by mouth daily.

Wound Dressings (medihoney) topical gel

Sig: Apply topically daily. Apply to ulcerations on legs. Apply dressing over the Medi Honey.

Wound Dressings (medihoney) topical gel

Sig: Apply topically every other day. Apply to wound before applying dressing

atorvastatin 10 MG tablet

Sig: Take 1 tablet (10 mg) by mouth daily.

lidocaine 4 % patch

Sig: Apply 1 patch onto the skin every 24 hours. Apply to painful area for up to 12 hours in a 24 hour period.

pentoxifylline ER 400 MG ER tablet

Sig: Take 1 tablet (400 mg) by mouth 3 times a day. Take with food.

timolol maleate 0.5 % ophthalmic solution

Sig: instill 1 drop into both eyes twice a day

Additional Comments: None

Inpatient Medications

SCHEDULED MEDICATIONS:

- acetaminophen, 500 mg, q6h
- aspirin, 81 mg, Daily
- atorvastatin, 10 mg, Daily
- cholecalciferol, 2,000 units, Daily
- cyanocobalamin, 500 mcg, Daily
- heparin, 5,000 units, q12h SCH
- insulin LISPRO, 0-4 units, q HS
- insulin LISPRO, 0-5 units, TID before meals
- thiamine mononitrate, 100 mg, Daily
- timolol maleate, 1 drop, BID

INFUSED MEDICATIONS:

- DOPamine, 0-20 mcg/kg/min (Dosing Weight), Continuous, Last Rate: 5 mcg/kg/min (01/10/25 1600)
- ROPivacaine, , Continuous

PRN MEDICATIONS:

- atropine, 1 mg, q15 min PRN
- [START ON 1/12/2025] bisacodyl, 10 mg, Daily PRN
- calcium carbonate, 1,000 mg, q6h PRN
- calcium carbonate, 500 mg of ELEMENTAL calcium, q6h PRN
- calcium gluconate, 2 g, q6h PRN
- dextrose, 25 mL, PRN
- dextrose, 50 mL, PRN
- glucagon, 0.5 mg, PRN
- glucagon, 1 mg, PRN
- HYDROMorphone, 0.1 mg, Q2 Hours PRN
- magnesium sulfate, 2 g, q6h PRN
- ondansetron, 4 mg, q8h PRN
- ondansetron, 4 mg, q8h PRN
- perflutren lipid microspheres (Definity) 1.3 mL in sodium chloride (PF) 0.9 % 8.7 mL injection, 1-10 mL, Once PRN
- polyethylene glycol 3350, 17 g, Daily PRN
- potassium & sodium phosphates, 3 packet, q6h PRN
- potassium chloride, 20 mEq, q6h PRN
- potassium chloride, 40 mEq, q6h PRN
- potassium chloride ER, 20 mEq, q6h PRN
- potassium chloride ER, 40 mEq, q6h PRN
- potassium phosphate, 40 mEq, PRN
- potassium phosphate-sodium phosphate, 3 tablet, q6h PRN
- [START ON 1/12/2025] senna, 17.2 mg, BID PRN
- sodium phosphate, 40 mEq, PRN